

# **ERA Timelapse**

---

# **Weavers World**



Photographic fabric scans are not colour accurate. Always request actual fabric samples before ordering.

## SPECIFICATIONS

<b>Application:</b>	<b>Contract Upholstery</b>
<b>Composition:</b>	<b>100% Polyester</b>
<b>Width:</b>	<b>140CM</b>
<b>Mass:</b>	<b>320gm/1m</b>

---

		<b>STANDARD</b>	<b>ERA</b>
<b>Abrasion Resistance:</b>		<b>25,000 RUBS</b>	<b>+100,000 RUBS</b>
<b>Colour Fastness:</b>			
<b>To Light:</b>		<b>5-6</b>	<b>5</b>
<b>To Rubbing:</b>		<b>4</b>	<b>4</b>
<b>Seam Slippage:</b>	<b>WARP</b>	<b>180N</b>	<b>+180N</b>
	<b>WEFT</b>	<b>180N</b>	<b>+180N</b>
<b>Tensile Strength</b>	<b>WARP</b>	<b>400N</b>	<b>+400N</b>
	<b>WEFT</b>	<b>400N</b>	<b>+400N</b>

**Cleaning Instructions:** Vacuum regularly. Wipe with damp cloth using a proprietary upholstery shampoo/soap. For deeper cleaning use steam, bleach, alcohol or professionally dry clean. Can be washed at 60°C. Full details can be found in our cleaning and disinfection guide.

**Note:** Refer to SABS 726 - This specification calls for a minimum seam of 15mm and 4-5 stitches per cm.